Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1326	((address\$9 near10 mode) same ((burst block) and byte and memory))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:40
S2	15694584	@ad < "20040129"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON -	2007/11/14 15:07
S3	1183	S1 and S2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/10/05 08:49
S4	328	S3 and "711"/\$.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR .	ON	2006/10/05 08:49
S6	72	S4 and ((non\$1volatile) with (device memory module))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/10/05 14:17
S7	2	"5978882".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:16
S8	15694584	@ad < "20040129"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:18
S9	101	S8 and ((address\$9) same ((MMC XD) with memory) and protocol)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:25
S10	8	("20040035939" "20030233501" "20020185533" "20030093598")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:42
S11	3	"09641023"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:43
S12	2	"09186064"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/10/06 08:16
S13	8	("20020035718" "20050073884" "3 652836" "4131881" "5388233" "644 9667" "6578139" "6647428").PN.	US-PGPUB; USPAT	OR	ON	2007/04/17 08:06

				,		
S14	15779412	@ad < "20040129"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:41
S15	4379	S14 and ((sector block) with (byte and address\$9 and mode))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 10:34
S16	1381	((address\$9 near10 mode) same ((burst block) and byte and memory))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 11:52
S17	1204	S16 and S14	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 10:34
S18	331	S17 and "711"/\$.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 10:34
S19	73	S18 and ((non\$1volatile) with (device memory module))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 10:34
S20	38	S15 and S19	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 10:47
S21	1066	S15 and ((address and byte) with (field argument))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 11:03
S22	98	S14 and ((addressing near3 mode) same (command and address and (field portion)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 11:39
S23	12	S14 and ((address\$9 near10 mode) with (un\$1use\$2 adj3 bit))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 11:55
S24	2	"6762972".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:17
S25	15779412	@ad < "20040129"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:24

		•				
S27	1375	S25 and ((address adj2 mode) with bit)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:36
S30	537	S27 and ((block\$2 and byte) with address\$5)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:40
S32	162	S27 and ((block\$2 and byte) with (address\$5 and mode))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:41
S41	137	((multimedia SD) adj3 card) with protocol	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:41
S43	21	S41 and (block near10 mode)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:55
S47	2	"20060265524".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR .	ON	2007/10/31 16:57
S48	4	("6430661" "5647057").pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:58
S49	132	(address\$9 near10 (burst block)) with (un\$1us\$6 near10 bit)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/11/14 15:20
S50	84	S49 and (address\$9 near10 mode)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/11/14 15:20
S61	3691	implement\$9 with (logic and one and zero)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:46
S63	1283	S61 and (implement\$9 with (desir\$8 equal equivalent\$5))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:48
S64	576	S63 and (address\$8 with bit)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR .	ON	2007/11/15 11:48

S65	436	S64 and @ad < "20040129"	US-PGPUB; USPAT;	OR	ON	2007/11/16 07:56
			DERWENT; IBM_TDB			